


DE ZUSATZINFORMATION
EN ADDITIONAL INFORMATION
FR INFORMATIONS COMPLÉMENTAIRES
IT INFORMAZIONI AGGIUNTIVE
ES INFORMACIÓN ADICIONAL
NL EXTRA INFORMATIE
PL INFORMACJE DODATKOWE



TRILUX
SIMPLIFY YOUR LIGHT

E-LINE

7651 ...



10414820 | 261015



E-LINE

DE



Umgebungstemperatur

Funktionsstörung! Halten Sie immer die zulässige maximale Umgebungstemperatur t_a ein.

EN



Ambient temperature

Malfunction! Always adhere to the maximum permissible ambient temperature t_a .

FR



Température ambiante

Dysfonctionnement ! Ne dépassez jamais la température ambiante maximale admissible t_a .

IT



Temperatura ambiente

Disturbo di funzionamento! Mai oltrepassare la massima temperatura ambiente ammissibile (t_a).

ES



Temperatura ambiente

¡Fallo de funcionamiento! No debe sobrepasarse nunca la temperatura ambiente máxima admitida t_a .

NL



Omgevingstemperatuur

Storing van de werking! Overschrijd nooit de maximaal toelaatbare omgevingstemperatuur t_a .

PL



Temperatura otoczenia

Usterka działania! Nigdy nie przekraczać dopuszczalnej maksymalnej

temperatura otoczenia t_a .

E-LINE



Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... L ... L75																					
7651...L...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -8...	50	50	50	50	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -9...	50	50	50	45	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... L ... L150																					
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	50	45	45	45	45	45	45	40	40	35	35	30	30	
7651...HE L... -9...	-	-	-	-	50	50	50	50	45	45	45	45	40	40	35	35	30	30	30	-	
7651...HE+L... -8...	-	-	-	-	50	50	50	50	50	50	50	50	50	50	45	45	45	40	35	35	
7651...HE+L... -9...	-	-	-	-	50	50	50	50	50	50	50	50	45	45	40	40	35	30	30	-	

Type (IP20/IP50)		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000		
7651	... L ... L225																					
7651...L...		35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	-	
7651...HE L... -8...		50	50	50	50	45	45	45	45	45	40	40	40	35	35	35	35	30	30	30	-	
7651...HE L... -9...		50	50	45	45	45	45	40	40	40	35	35	35	35	35	30	30	25	25	25	-	
7651...HE+L... -8...		-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	40	35	35	35	-	
7651...HE+L... -9...		-	-	-	-	50	50	50	50	45	45	45	40	40	40	35	35	30	30	30	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... LN/LEN/LVN ... L75																					
7651...L...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -8...	50	50	50	45	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -9...	50	50	45	40	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... LN/LEN/LVN ... L150																					
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	45	40	40	40	40	40	40	35	35	30	25	25	25	
7651...HE L... -9...	-	-	-	-	50	50	50	45	40	40	40	40	35	35	35	30	25	25	-	-	



E-LINE

Type Type (IP20/IP50) ... LN/LEN/LVN ... L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	lm	
7651...L...	35	35	35	35	35	35	35	35	35	30	30	30	30	30	25	25	25	25	-	-	°C
7651...HE L... -8...	50	50	50	45	40	40	40	40	40	35	35	35	30	30	30	25	25	25	25	-	
7651...HE L... -9...	50	45	40	40	40	40	35	35	35	30	30	30	30	30	25	25	25	-	-	-	
7651...HE+L... -8...	-	-	-	-	45	45	45	45	45	45	40	40	35	35	35	35	30	25	25	-	
7651...HE+L... -9...	-	-	-	-	45	45	45	40	40	40	40	35	35	35	30	30	25	-	-	-	

Type 7652 ... L ... L75	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	lm	
7652 ...	35	35	35	35	35	35	35	35	35	35	35	35	°C	
7652 ...HE 80 L95	50	50	50	50	50	50	50	45	40	40	35	35		
7652 ...HE 80 L90	-	-	-	-	-	-	-	-	-	-	40	40		
7652 ...HE 90 L95	50	50	50	50	50	50	45	45	40	40	35	35		
7652 ...HE 90 L90	-	-	-	-	-	-	-	-	-	-	35	40		

Type																						
7652 ... L ... L150	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000		
7652 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	°C	
7652 ...HE 80 L95	50	50	50	50	50	50	50	50	50	50	50	50	45	45	45	40	40	35	30	30		
7652 ...HE 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	35	35			
7652 ...HE+ 80 L95	-	-	-	50	50	50	50	50	50	50	50	50	45	45	45	40	40	35	30	30		
7652 ...HE+ 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	35	35			
7652 ...HE 90 L95	50	50	50	50	50	50	50	50	50	50	50	50	45	45	45	40	40	40	35	30		25
7652 ...HE 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	35	35		
7652 ...HE+ 90 L95	-	-	-	50	50	50	50	50	50	50	50	50	45	45	45	40	40	40	35	30		25
7652 ...HE+ 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40	35	35		

Type	15000	16000	17000	
7652 ... L ... L150				
7652 ...	25	25	25	 lm
7652 ...HE 80 L95	-	-	-	
7652 ...HE 80 L90	35	35	25	
7652 ...HE+ 80 L95	-	-	-	 °C
7652 ...HE+ 80 L90	35	35	25	
7652 ...HE 90 L95	-	-	-	
7652 ...HE 90 L90	35	25	-	
7652 ...HE+ 90 L95	-	-	-	
7652 ...HE+ 90 L90	35	25	-	



E-LINE

Type 7652 ... L ... L225	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	lm	
7652 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	°C	
7652 ...HE 80 L95	50	50	50	50	50	50	50	50	50	50	50	50	45	45	45	45	45	45	40	40		
7652 ...HE 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-		
7652 ...HE+ 80 L95	-	-	-	-	-	-	-	-	50	50	50	50	45	45	45	45	45	45	40	40		
7652 ...HE+ 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-		
7652 ...HE 90 L95	50	50	50	50	50	50	50	50	50	50	50	45	45	45	45	45	45	45	40	40		
7652 ...HE 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-		
7652 ...HE+ 90 L95	-	-	-	-	-	-	-	-	50	50	50	45	45	45	45	45	45	45	40	40		
7652 ...HE+ 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	-		

Type 7652 ... L ... L225	18000	19000	20000	21000	22000	23000	24000	25000	26000	lm	
7652 ...	30	30	30	25	25	25	25	-	-	°C	
7652 ...HE 80 L95	40	35	35	35	30	-	-	-	-		
7652 ...HE 80 L90	-	-	-	-	-	30	30	30	30		
7652 ...HE+ 80 L95	40	35	35	35	30	-	-	-	-		
7652 ...HE+ 80 L90	-	-	-	-	-	30	30	30	30		
7652 ...HE 90 L95	35	35	35	30	-	-	-	-	-		
7652 ...HE 90 L90	40	-	-	35	30	30	30	30	30		
7652 ...HE+ 90 L95	35	35	35	30	-	-	-	-	-		
7652 ...HE+ 90 L90	40	-	-	35	30	30	30	30	-		

Type 7652 ... L ... L150 EB3	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	lm	
7652 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	25	-	°C	
7652 ...HE 80 L95	40	40	40	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25		
7652 ...HE+ 80 L95	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25		
7652 ...HE 90 L95	40	40	40	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25		
7652 ...HE+ 90 L95	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25		



E-LINE

Type	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	
7652 ... L ... L225 EB3																					
7652 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	25	25	25	
7652 ...HE 80 L95	50	40	40	40	40	40	40	40	40	40	35	35	35	35	30	30	30	25	25	25	
7652 ...HE+ 80 L95	-	-	-	-	-	-	-	-	40	40	35	35	35	35	30	30	30	25	25	25	
7652 ...HE 90 L95	40	40	40	40	40	40	40	40	40	40	35	35	35	35	30	30	30	25	25	25	
7652 ...HE+ 90 L95	-	-	-	-	-	-	-	-	40	40	35	35	35	35	30	30	30	25	25	25	

Type	18000	19000	
7652 ... L ... L225 EB3			
7652 ...	25	-	
7652 ...HE 80 L95	25	25	
7652 ...HE+ 80 L95	25	25	
7652 ...HE 90 L95	25	25	
7652 ...HE+ 90 L95	25	25	

Type	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	
7653 ... L ... L75													
7653 ...	35	35	35	35	35	35	35	35	35	35	35	35	
7653 ...HE 80 L95	50	50	50	50	50	50	50	45	45	45	40	40	
7653 ...HE 90 L95	50	50	50	50	50	50	45	45	45	45	40	40	

Type	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	
7653 ... L ... L150																					
7653 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
7653 ...HE 80 L95	50	50	50	50	50	50	50	50	50	50	50	50	50	45	45	45	45	40	40	40	
7653 ...HE 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 80 L95	-	-	-	50	50	50	50	50	50	50	50	50	50	45	45	45	45	40	40	40	
7653 ...HE+ 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 90 L95	50	50	50	50	50	50	50	50	50	50	50	50	45	45	45	45	45	40	40	35	
7653 ...HE 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 90 L95	-	-	-	50	50	50	50	50	50	50	50	50	45	45	45	45	45	40	40	35	
7653 ...HE+ 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

E-LINE



Type	15000	16000	17000	18000	19000	20000	21000	
7653 ... L ... L150								
7653 ...	30	30	30	30	25	25	25	
7653 ...HE 80 L95	35	30	25	25	25	-	-	
7653 ...HE 80 L90	40	35	35	35	30	30	25	
7653 ...HE 80 L80	-	-	-	-	35	-	30	
7653 ...HE+ 80 L95	35	30	25	25	25	-	-	
7653 ...HE+ 80 L90	40	35	35	35	30	30	25	
7653 ...HE+ 80 L80	-	-	-	-	35	-	30	
7653 ...HE 90 L95	30	30	25	25	25	-	-	
7653 ...HE 90 L90	35	35	35	35	30	30	-	
7653 ...HE 90 L80	-	-	-	-	35	-	25	
7653 ...HE+ 90 L95	30	30	25	25	25	-	-	
7653 ...HE+ 90 L90	35	35	35	35	30	30	-	
7653 ...HE+ 90 L80	-	-	-	-	35	-	25	

Type	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	
7653 ... L ... L225																					
7653 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	
7653 ...HE 80 L95	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	
7653 ...HE 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 80 L95	-	-	-	-	-	-	-	-	50	50	50	50	50	50	50	50	50	50	50	50	
7653 ...HE+ 80 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 90 L95	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	50	45	
7653 ...HE 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 90 L95	-	-	-	-	-	-	-	-	50	50	50	50	50	50	50	50	50	50	50	45	
7653 ...HE+ 90 L90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7653 ...HE+ 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	



E-LINE

Type	18000	19000	20000	21000	22000	23000	24000	25000	26000	27000	28000	29000	30000	31000	32000	
7653 ... L ... L225																
7653 ...	35	35	35	35	35	30	30	25	25	25	25	25	25	25	25	
7653 ...HE 80 L95	45	45	40	40	40	35	35	30	30	25	-	-	-	-	-	
7653 ...HE 80 L90	-	-	45	45	45	40	40	40	35	35	30	30	30	-	-	
7653 ...HE 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	25	25	
7653 ...HE+ 80 L95	45	45	40	40	40	35	35	30	30	25	-	-	-	-	-	
7653 ...HE+ 80 L90	-	-	45	45	45	40	40	40	35	35	30	30	30	-	-	
7653 ...HE+ 80 L80	-	-	-	-	-	-	-	-	-	-	-	-	-	25	25	
7653 ...HE 90 L95	45	45	40	40	40	35	30	30	30	-	-	-	-	-	-	
7653 ...HE 90 L90	-	-	45	45	45	40	40	35	35	30	30	30	-	-	-	
7653 ...HE 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	25	25	25	
7653 ...HE+ 90 L95	45	45	40	40	40	35	30	30	30	-	-	-	-	-	-	
7653 ...HE+ 90 L90	-	-	45	45	45	40	40	35	35	30	30	30	-	-	-	
7653 ...HE+ 90 L80	-	-	-	-	-	-	-	-	-	-	-	-	25	25	25	

Type	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7653 ... L ... L150 EB3																				
7653 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	25	-	
7653 ...HE 80 L95	40	40	40	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25	
7653 ...HE+ 80 L95	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25	
7653 ...HE 90 L95	40	40	40	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25	
7653 ...HE+ 90 L95	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	30	25	25	25	

Type	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	
7653 ... L ... L225 EB3																				
7653 ...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	25	25	
7653 ...HE 80 L95	50	40	40	40	40	40	40	40	40	40	35	35	35	30	30	30	25	25	25	
7653 ...HE+ 80 L95	-	-	-	-	-	-	-	-	40	40	40	35	35	35	30	30	30	25	25	
7653 ...HE 90 L95	40	40	40	40	40	40	40	40	40	40	35	35	35	35	30	30	30	25	25	
7653 ...HE+ 90 L95	-	-	-	-	-	-	-	-	40	40	35	35	35	35	30	30	30	25	25	

Type	17000	18000	19000	
7653 ... L ... L225 EB3				
7653 ...	25	25	-	
7653 ...HE 80 L95	25	25	25	
7653 ...HE+ 80 L95	25	25	25	
7653 ...HE 90 L95	25	25	25	
7653 ...HE+ 90 L95	25	25	25	



E-LINE

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... LAN ... L150																					
7651...LAN...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	
7651...HE LAN... -8...	-	-	-	-	50	50	50	50	45	45	45	45	45	45	40	40	35	35	30	30	
7651...HE LAN... -9...	-	-	-	-	50	50	50	50	45	45	45	45	40	40	35	35	30	30	30	-	

Type (IP20/IP50)	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	-	
7651 ... LAN ... L225																					
7651...LAN...	35	35	35	35	35	35	35	35	35	35	35	35	35	25	25	35	35	35	35	-	
7651...HE LAN... -8...	50	50	50	50	45	45	45	45	45	40	40	40	35	40	35	35	30	30	30	-	
7651...HE LAN... -9...	50	50	45	45	45	45	40	40	40	35	35	35	35	35	30	30	25	25	25	-	
7651...HE+LAN... -8...	-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	40	35	35	35	-	
7651...HE+LAN... -9...	-	-	-	-	50	50	50	50	45	45	45	40	40	40	35	35	30	30	30	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... DSL/DL ... L75																					
7651...D...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE D... -8...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE D... -9...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... DSL/DL ... L150																					
7651...D...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	-	
7651...HE D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	
7651...HE D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	30	-	-	
7651...HE+D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	
7651...HE+D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	30	-	-	



E-LINE

Type (IP20/IP50)																						
7651 ... DSL/DL ... L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000		20000		
7651...D...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	-	
7651...HE D... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE D... -9...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	-	-	-	
7651...HE+D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE+D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	30	30	25	25	-	-	-	

Type (IP20/IP50)														5m
7651 ... P ... L75		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	
7651...P...	35	35	35	35	35	35	-	-	-	-	-	-	-	°C
7651...HE P... -8...	50	50	50	50	45	-	-	-	-	-	-	-	-	
7651...HE P... -9...	50	50	50	45	35	-	-	-	-	-	-	-	-	

Type (IP20/IP50)														5m
7651 ... P ... L75		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	
7651...P...	35	35	35	35	35	35	-	-	-	-	-	-	-	°C
7651...HE P... -8...	50	50	50	50	45	-	-	-	-	-	-	-	-	
7651...HE P... -9...	50	50	50	45	35	-	-	-	-	-	-	-	-	

Type (IP20/IP50)																			5m
7651 ... P ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
7651...P...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	25	°C
7651...HE P... -8...	-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	35	35	30	
7651...HE P... -9...	-	-	-	-	50	50	50	50	45	45	40	40	40	35	30	30	25	-	
7651...HE+P... -8...	-	-	-	-	50	50	50	50	50	50	50	50	50	45	40	40	35	35	
7651...HE+P... -9...	-	-	-	-	50	50	50	50	50	50	45	45	45	40	35	35	30	-	-

Type (IP20/IP50)																			5m
7651 ... P ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...P...	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	30	25	25	°C
7651...HE P... -8...	50	50	50	50	45	40	40	40	40	35	35	35	35	30	30	30	25	25	
7651...HE P... -9...	50	50	50	50	40	40	35	35	35	35	30	30	30	25	25	25	25	-	
7651...HE+P... -8...	-	-	-	-	50	45	45	45	45	40	40	40	40	35	35	35	30	30	
7651...HE+P... -9...	-	-	-	-	45	45	40	40	40	40	35	35	35	30	30	30	25	-	-

E-LINE



Type (IP20/IP50)															5m
7651 ... PMW ... L75		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...PMW...	35	35	35	30	30	-	-	-	-	-	-	-	-	-	°C
7651...HE PMW... -8...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	
7651...HE PMW... -9...	35	35	35	30	30	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)															5m
7651 ... PMW ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...PMW...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	°C
7651...HE PMW... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	
7651...HE PMW... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	

Type (IP20/IP50)																			5m
7651 ... PMW ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...PMW...	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	-	°C
7651...HE PMW... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	
7651...HE PMW... -9...	35	35	35	35	35	35	35	35	35	35	35	35	25	25	25	25	-	-	
7651...HE+PMW... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	
7651...HE+PMW... -9...	-	-	-	-	35	35	35	35	35	35	35	35	30	30	30	25	-	-	-

Type (IP20)															5m
7651 ... PWW ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...HE PWW... -8...	-	-	-	-	50	50	50	50	50	50	50	45	45	45	°C
7651...HE PWW... -9...	-	-	-	-	50	50	50	50	45	45	45	45	45	40	

Type (IP20)															5m
7651 ... CL-DAW ... L75		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...HE CL-DAW... -8...	45	40	30	25	-	-	-	-	-	-	-	-	-	-	°C
7651...HE CL-DAW... -9...	40	30	25	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20)															5m
7651 ... CL-DAW ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...HE CL-DAW... -8...	-	-	-	-	45	40	40	35	30	30	25	-	-	-	°C
7651...HE CL-DAW... -9...	-	-	-	-	40	35	30	30	25	-	-	-	-	-	

Type (IP20)															5m
7651 ... CL-DAW ... L225		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	
7651...HE CL-DAW... -8...	-	-	-	-	-	-	-	-	40	40	35	35	35	30	°C
7651...HE CL-DAW... -9...	-	-	-	-	-	-	-	-	35	35	30	30	25	25	



E-LINE

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-DAW ... L150																
7651...HE CL-DAW...-8...		-	-	-	-	45	40	40	35	30	30	25	-	-	-	
7651...HE CL-DAW...-9...		-	-	-	-	40	35	30	30	25	-	-	-	-	-	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-DAW ... L225																
7651...HE CL-DAW...-8...		-	-	-	-	-	-	-	40	40	35	35	35	30	30	
7651...HE CL-DAW...-9...		-	-	-	-	-	-	-	35	35	30	30	25	25	25	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-W19 ... L75																
7651...HE CL-W19...-8...		50	45	40	40	35	-	-	-	-	-	-	-	-	-	
7651...HE CL-W19...-9...		50	45	35	35	35	-	-	-	-	-	-	-	-	-	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-W19 ... L150																
7651...HE CL-W19...-8...		-	-	-	-	50	50	45	45	40	40	40	35	30	30	
7651...HE CL-W19...-9...		-	-	-	-	50	50	40	40	40	35	30	25	25	25	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-W19 ... L225																
7651...HE CL-W19...-8...		-	-	-	-	-	-	-	50	50	50	45	45	45	45	
7651...HE CL-W19...-9...		-	-	-	-	-	-	-	45	45	45	45	40	40	35	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-WW ... L150																
7651...HE CL-WW...-8...		-	-	-	-	40	40	35	30	25	25	-	-	-	-	
7651...HE CL-WW...-9...		-	-	-	-	35	30	25	25	-	-	-	-	-	-	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL-WW ... L225																
7651...HE CL-WW...-8...		-	-	-	-	-	-	-	45	45	40	35	35	30	30	
7651...HE CL-WW...-9...		-	-	-	-	-	-	-	40	35	35	30	25	25	-	



E-LINE

Type (IP20/IP50)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... L ... TW																
7651...L150...TW...		-	-	-	-	50	50	50	50	50	45	45	45	45	-	
7651...L225...TW...		-	-	-	-	-	-	-	-	50	45	45	45	45	45	

Type (IP20/IP50)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... LEN/LVN ... TW																
7651...L150...TW...		-	-	-	-	50	50	50	45	45	40	40	40	40	-	
7651...L225...TW...		-	-	-	-	-	-	-	-	50	45	45	40	40	40	

Type (IP20/IP50)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... DSL/DL ... TW																
7651...L150...TW...		-	-	-	-	35	35	35	35	35	35	35	-	-	-	
7651...L225...TW...		-	-	-	-	-	-	-	-	35	35	35	35	35	35	

Type (IP20/IP50)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... P ... TW																
7651...L150...TW...		-	-	-	-	50	50	50	50	50	45	45	40	-	-	
7651...L225...TW...		-	-	-	-	-	-	-	-	45	45	45	45	45	40	

Type (IP20/IP50)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... PMW ... TW																
7651 HE...L150...TW...		-	-	-	-	35	35	35	35	35	35	35	-	-	-	
7651 HE...L225...TW...		-	-	-	-	-	-	-	-	35	35	35	35	35	35	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... PWW ... TW																
7651 HE...L150...TW...		-	-	-	-	50	50	50	50	50	50	50	45	45	-	

Type (IP20)																
7651		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	
... CL ... TW																
7651 HE...L150...TW...		-	-	-	-	45	45	-	-	-	-	-	-	-	-	
7651 HE...L225...TW...		-	-	-	-	-	-	-	-	45	45	40	40	-	-	



E-LINE

Type (IP64)																	
7651 ... L ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	50	45	45	45	45	40	35	30	25	
7651...HE L... -9...	-	-	-	-	50	50	45	45	45	45	40	40	35	30	25	25	

Type (IP64)																	
7651 ... L ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	
7651...L...	35	35	35	30	30	30	25	25	25	25	25	25	25	25	25	25	
7651...HE L... -8...	50	50	50	50	40	40	40	35	30	30	25	25	25	25	25	25	
7651...HE L... -9...	50	50	45	45	40	35	30	30	25	25	25	25	25	25	25	-	
7651...HE+L... -8...	-	-	-	-	45	45	45	40	35	35	30	30	30	30	30	25	
7651...HE+L... -9...	-	-	-	-	45	40	35	35	30	30	30	25	25	25	25	-	

Type (IP64)																	
7651 ... LN/LEN/LVN ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	45	40	40	40	40	35	30	25	25	
7651...HE L... -9...	-	-	-	-	50	50	45	40	40	40	35	35	30	25	25	25	

Type (IP64)																	
7651 ... LN/LEN/LVN ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	
7651...L...	35	35	35	30	30	30	25	25	25	25	25	25	25	25	25	25	
7651...HE L... -8...	50	50	50	45	35	35	35	30	25	25	25	25	25	25	25	25	
7651...HE L... -9...	50	45	40	40	35	30	25	25	25	25	25	25	25	25	25	-	
7651...HE+L... -8...	-	-	-	-	40	40	40	35	30	30	25	25	25	25	25	25	
7651...HE+L... -9...	-	-	-	-	40	35	30	30	25	25	25	25	25	25	25	-	

Type (IP64)																	
7651 ... L ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...L150...TW...	-	-	-	-	50	50	50	50	50	45	45	45	45	40	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	40	40	40	40	

Type (IP64)																	
7651 ... LEN/LVN ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...L150...TW...	-	-	-	-	50	50	50	45	45	45	40	40	40	35	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	40	35	35	35	

E-LINE



Type (IP20/IP50)																	
7651 ... L ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...L...	-	-	-	-	35	35	35	30	30	30	30	30	30	30	25	25	
7651...HE L... -8...	-	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	
7651...HE L... -9...	-	-	-	-	40	40	35	35	35	35	35	35	35	30	30	30	

Type (IP20/IP50)																	
7651 ... L ... EB ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	
7651...L...	35	35	35	35	35	35	25	25	25	25	25	25	25	25	25	25	
7651...HE L... -8...	40	40	40	40	40	40	30	30	30	30	25	25	25	25	25	25	
7651...HE L... -9...	40	40	40	40	40	35	30	30	25	25	25	25	25	25	25	-	
7651...HE+L... -8...	-	-	-	-	40	40	35	35	35	35	30	30	30	25	25	25	
7651...HE+L... -9...	-	-	-	-	40	35	35	35	30	30	30	25	25	25	25	-	

Type (IP20/IP50)																	
7651 ... DSL/DL...EB...L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...D...	-	-	-	-	30	30	30	30	30	30	25	25	25	25	25	25	
7651...HE D... -8...	-	-	-	-	35	35	35	35	35	35	30	30	30	30	30	25	
7651...HE D... -9...	-	-	-	-	35	35	35	35	35	30	30	30	30	30	30	25	

Type (IP20/IP50)																	
7651 ... DSL/DL...EB...L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	
7651...D...	30	30	30	30	30	30	30	30	30	30	30	30	30	25	25	25	
7651...HE D... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	
7651...HE D... -9...	35	35	35	35	35	35	35	35	35	35	35	35	35	25	25	25	
7651...HE+D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	
7651...HE+D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	25	

Type (IP20/IP50)																	
7651 ... P ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	
7651...P...	-	-	-	-	35	35	35	35	35	35	30	30	25	25	25	25	
7651...HE P... -8...	-	-	-	-	40	40	40	40	40	40	35	35	30	30	30	30	
7651...HE P... -9...	-	-	-	-	40	40	40	40	35	30	30	30	30	30	30	25	



E-LINE

Type (IP20/IP50)																					
7651	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000		
... P ... EB ... L225																					
7651...P...	35	35	30	30	30	30	30	30	30	30	30	30	30	25	25	25	25	25	-	-	
7651...HE P... -8...	40	40	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	25	-	
7651...HE P... -9...	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	25	25	-	-	-	
7651...HE+ P... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE+ P... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	25	25	-	-	-	

Type (IP20/IP50)																						
7651	... PMW ... EB ... L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...PMW...		-	-	-	-	30	30	30	30	30	25	25	25	25	25	25	25	25	-	-	-	
7651...HE PMW...-8...		-	-	-	-	35	35	35	35	35	30	30	30	30	30	30	30	25	25	-	-	
7651...HE PMW...-9...		-	-	-	-	35	35	35	35	30	30	30	30	30	30	30	25	25	-	-	-	

Type (IP20/IP50)																				
7651	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	-
... PMW ... EB ... L225																				
7651...PMW...	30	30	30	30	30	30	30	30	30	30	30	25	25	25	25	25	-	-	-	-
7651...HE PMW... -8...	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	25	-	-	-
7651...HE PMW... -9...	35	35	35	35	35	35	35	35	35	35	35	25	25	25	25	-	-	-	-	-
7651...HE+ PMW... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	30	25	-	-	-
7651...HE+ PMW... -9...	-	-	-	-	35	35	35	35	35	35	35	30	30	25	25	-	-	-	-	-

Type (IP20)																						
7651	... CL-W ... EB ... L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL-W... -8...		-	-	-	-	40	40	35	35	35	35	30	30	30	30	25	25	25	-	-	-	
76...HE CL-W... -9...		-	-	-	-	35	35	35	35	30	30	30	25	25	25	25	25	-	-	-	-	

Type (IP20)																						
7651	... CL-WW ... EB ... L225	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL-WW... -8...		-	-	-	-	-	-	-	-	35	35	35	35	35	35	35	30	30	30	25	25	
76...HE CL-WW... -9...		-	-	-	-	-	-	-	-	35	35	35	35	30	30	30	30	30	25	25	-	

Type (IP20)																						
7651	... CL-WW ...EB...L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL...-8...		-	-	-	-	30	30	30	25	25	25	-	-	-	-	-	-	-	-	-	-	
76...HE CL...-9...		-	-	-	-	30	25	25	25	-	-	-	-	-	-	-	-	-	-	-	-	



E-LINE

Type c																						
7651	... CL-WW ...EB...L225	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL-WW... -8...		-	-	-	-	-	-	-	-	35	35	35	30	30	25	25	25	-	-	-	-	
76...HE CL-WW... -9...		-	-	-	-	-	-	-	-	35	30	30	25	25	25	-	-	-	-	-	-	

Type (IP20)																						
7651	...CL-DAW...EB...L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL-DAW... -8...		-	-	-	-	35	35	35	30	25	25	25	-	-	-	-	-	-	-	-	-	
76...HE CL-DAW... -9...		-	-	-	-	35	30	25	25	25	-	-	-	-	-	-	-	-	-	-		


Type (IP20)																						
7651	CL-DAW...EB...L225	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
76...HE CL-DAW... -8...		-	-	-	-	-	-	-	-	30	30	30	30	30	25	25	25	25	-	-	-	
76...HE CL-DAW... -9...		-	-	-	-	-	-	-	-	30	30	25	25	25	25	25	-	-	-	-	-	

Type (IP64)																					
7651	... L ... EB ... L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000
7651...L...		-	-	-	-	30	30	30	30	30	25	25	25	25	25	25	25	25	-	-	-
7651...HE L... -8...		-	-	-	-	35	35	35	35	35	30	30	30	30	30	30	25	25	25	-	-
7651...HE L... -9...		-	-	-	-	35	35	35	30	30	30	30	30	30	25	25	25	25	-	-	-



Type (IP64)																						
7651	… L … EB … L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	-	
7651…L…		30	30	30	30	25	25	25	25	25	25	25	25	25	25	25	25	-	-	-	-	
7651…HE L… -8…		35	35	35	35	30	30	30	30	25	25	25	25	25	25	25	25	25	-	-	-	
7651…HE L… -9…		35	35	35	35	30	30	30	25	25	25	25	25	25	25	25	-	-	-	-	-	
7651…HE+ L… -8…		-	-	-	-	35	35	35	35	30	30	30	30	30	25	25	25	25	-	-	-	
7651…HE+ L… -9…		-	-	-	-	35	35	35	30	30	30	30	25	25	25	25	-	-	-	-	-	





www.trilux.com/manuals

TRILUX GmbH & Co. KG

Heidestraße
D-59759 Arnsberg
+49 2932 301-0
info@trilux.com
www.trilux.com