


DE ZUSATZINFORMATION
EN ADDITIONAL INFORMATION
FR INFORMATIONS COMPLÉMENTAIRES
IT INFORMAZIONI AGGIUNTIVE
ES INFORMACIÓN ADICIONAL
NL EXTRA INFORMATIE
PL INFORMACJE DODATKOWE



TRI LUX
SIMPLIFY YOUR LIGHT

E-LINE

7651 ...



10414820 | 250117



E-LINE

DE



Umgebungstemperatur

Funktionsstörung! Halten Sie immer die zulässige maximale Umgebungstemperatur t_a ein.

EN



Ambient temperature

Malfunction! Always adhere to the maximum permissible ambient temperature t_a .

FR



Température ambiante

Dysfonctionnement ! Ne dépassez jamais la température ambiante maximale admissible t_a .

IT



Temperatura ambiente

Disturbo di funzionamento! Mai oltrepassare la massima temperatura ambiente ammissibile (t_a).

ES



Temperatura ambiente

¡Fallo de funcionamiento! No debe sobrepasarse nunca la temperatura ambiente máxima admitida t_a .

NL



Omgevingstemperatuur

Storing van de werking! Overschrijd nooit de maximaal toelaatbare omgevingstemperatuur t_a .

PL



Temperatura otoczenia

Usterka działania! Nigdy nie przekraczać dopuszczalnej maksymalnej

temperatura otoczenia t_a .

E-LINE



Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... L ... L75																					
7651...L...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -8...	50	50	50	50	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -9...	50	50	50	45	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)																						
7651 ... L ... L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000		
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25		
7651...HE L... -8...	-	-	-	-	50	50	50	50	45	45	45	45	45	45	40	40	35	35	30	30		
7651...HE L... -9...	-	-	-	-	50	50	50	50	45	45	45	45	40	40	35	35	30	30	30	-		
7651...HE+L... -8...	-	-	-	-	50	50	50	50	50	50	50	50	50	50	45	45	45	40	35	35		
7651...HE+L... -9...	-	-	-	-	50	50	50	50	50	50	50	50	45	45	40	40	35	30	30	-		

Type (IP20/IP50)	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000		
7651 ... L ... L225																					
7651...L...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	-	
7651...HE L... -8...	50	50	50	50	45	45	45	45	45	40	40	40	35	35	35	35	30	30	30	-	
7651...HE L... -9...	50	50	45	45	45	45	40	40	40	35	35	35	35	35	30	30	25	25	25	-	
7651...HE+L... -8...	-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	40	35	35	35	-	
7651...HE+L... -9...	-	-	-	-	50	50	50	50	45	45	45	40	40	40	35	35	30	30	30	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... LN/LEN/LVN ... L75																					
7651...L...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -8...	50	50	50	45	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE L... -9...	50	50	45	40	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ... LN/LEN/LVN ... L150																					
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	45	40	40	40	40	40	40	35	35	30	25	25	25	
7651...HE L... -9...	-	-	-	-	50	50	50	45	40	40	40	40	35	35	35	30	25	25	-	-	



E-LINE

Type (IP20/IP50)																					
7651 ... LN/LEN/LVN ... L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000		
7651...L...	35	35	35	35	35	35	35	35	35	30	30	30	30	30	25	25	25	25	-	-	
7651...HE L... -8...	50	50	50	45	40	40	40	40	40	35	35	35	30	30	30	30	25	25	25	-	
7651...HE L... -9...	50	45	40	40	40	40	35	35	35	30	30	30	30	30	25	25	25	-	-	-	
7651...HE+L... -8...	-	-	-	-	45	45	45	45	45	45	40	40	35	35	35	35	30	25	25	-	
7651...HE+L... -9...	-	-	-	-	45	45	45	40	40	40	40	35	35	35	30	30	25	-	-	-	

Type (IP20/IP50)																						
7651 ... LAN ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...LAN...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	
7651...HE LAN... -8...	-	-	-	-	50	50	50	50	45	45	45	45	45	45	45	40	40	35	35	30	30	
7651...HE LAN... -9...	-	-	-	-	50	50	50	50	45	45	45	45	45	40	40	35	35	30	30	30	-	

Type (IP20/IP50)																				
7651	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	
... LAN ... L225																				
7651...LAN...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	25	25	35	35	35	-
7651...HE LAN... -8...	50	50	50	50	45	45	45	45	45	40	40	40	35	40	35	35	30	30	30	-
7651...HE LAN... -9...	50	50	45	45	45	45	40	40	40	35	35	35	35	35	30	30	25	25	25	-
7651...HE+LAN... -8...	-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	40	35	35	35	-
7651...HE+LAN... -9...	-	-	-	-	50	50	50	50	45	45	45	40	40	40	35	35	30	30	30	-



Type (IP20/IP50)																						
7651 ... DSL/DL ... L75		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...D...		35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE D... -8...		35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE D... -9...		35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)																						
7651 ... DSL/DL ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...D...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	-	
7651...HE D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	
7651...HE D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	30	30	-	-	
7651...HE+D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	
7651...HE+D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	-	-	

E-LINE



Type (IP20/IP50)																					
7651	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000		
... DSL/DL ... L225																					
7651...D...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	-	
7651...HE D... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE D... -9...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	-	-	-	
7651...HE+D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE+D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	25	25	-	-	-	

Type (IP20/IP50)																					
7651 ... P ... L75	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...P...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE P... -8...	50	50	50	50	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE P... -9...	50	50	50	45	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20/IP50)																						
7651	...	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
... P ...	L75																					
7651...P...		35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE P... -8...		50	50	50	50	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE P... -9...		50	50	50	45	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
																						 °C

Type (IP20/IP50)																						
7651 ... P ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651...P...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	
7651...HE P... -8...	-	-	-	-	50	50	50	50	50	50	45	45	45	45	40	35	35	30	30	30		
7651...HE P... -9...	-	-	-	-	50	50	50	50	45	45	40	40	40	40	35	30	30	30	25	-	-	
7651...HE+P... -8...	-	-	-	-	50	50	50	50	50	50	50	50	50	50	45	40	40	35	35	35		
7651...HE+P... -9...	-	-	-	-	50	50	50	50	50	50	45	45	45	40	35	35	35	35	30	-	-	

Type (IP20/IP50)																						
7651 ... P ... L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000			
7651...P...	35	35	35	35	35	35	35	35	35	35	35	30	30	30	30	30	25	25	25	-		
7651...HE P... -8...	50	50	50	50	45	40	40	40	40	35	35	35	35	30	30	30	25	25	25	-		
7651...HE P... -9...	50	50	50	50	40	40	35	35	35	35	30	30	30	25	25	25	25	25	-	-		
7651...HE+P... -8...	-	-	-	-	50	45	45	45	45	40	40	40	40	35	35	35	30	30	30	-		
7651...HE+P... -9...	-	-	-	-	45	45	40	40	40	40	35	35	35	30	30	30	30	25	-	-		



E-LINE

Type (IP20/IP50)																	
7651 ... PMW ... L75																	
7651...PMW...	35	35	35	30	30	-	-	-	-	-	-	-	-	-	-	-	
7651...HE PMW... -8...	35	35	35	35	35	-	-	-	-	-	-	-	-	-	-	-	
7651...HE PMW... -9...	35	35	35	30	30	-	-	-	-	-	-	-	-	-	-	-	 °C

Type (IP20/IP50)																					
7651	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500		10000	11000	12000	13000
... PMW ... L150																					
7651...PMW...	-	-	-	-	35	35	35	35	35	35	35	35	30	30	30	30		25	-	-	-
7651...HE PMW ... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	35	30	25	-	-	
7651...HE PMW ... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	30	25	-	-	-	
																					

Type (IP20/IP50)																						
7651 ... PMW ... L225	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000		18000	19000	20000		
7651...PMW...	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25		-	-	-	-	
7651...HE PMW... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25		25	25	-	-	
7651...HE PMW... -9...	35	35	35	35	35	35	35	35	35	35	35	25	25	25	25	-	-	-	-	-		
7651...HE+PMW... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	25	-	-		
7651...HE+PMW... -9...	-	-	-	-	35	35	35	35	35	35	35	30	30	30	25	-	-	-	-	-		

Type (IP20)																					
7651 ... PWW ... L150																					
7651...HE PWW... -8...	-	-	-	-	50	50	50	50	50	50	50	45	45	45	45	45	40		35	30	
7651...HE PWW... -9...	-	-	-	-	50	50	50	50	45	45	45	45	45	45	40	30	30		25	-	

Type (IP20)																	
7651 ... CL-DAW ... L75																	
7651...HE CL-DAW... -8...	45	40	30	25	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE CL-DAW... -9...	40	30	25	-	-	-	-	-	-	-	-	-	-	-	-	-	
7651...HE CL-DAW... -9...	40	30	25	-	-	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20)																		
7651 ... CL-DAW ... L150																		
7651...HE CL-DAW... -8...	-	-	-	-	45	40	40	35	30	30	25	-	-	-	-	-		-
7651...HE CL-DAW... -9...	-	-	-	-	40	35	30	30	25	-	-	-	-	-	-	-		-
7651...HE CL-DAW... -9...	-	-	-	-	40	35	30	30	25	-	-	-	-	-	-	-	-	

Type (IP20)																					
7651 ... CL-DAW ... L225																					
7651...HE CL-DAW... -8...	-	-	-	-	-	-	-	-	40	40	35	35	35	30	30	25		25	-	-	-
7651...HE CL-DAW... -9...	-	-	-	-	-	-	-	-	35	35	30	30	25	25	25	-		-	-	-	-
7651...HE CL-DAW... -9...	-	-	-	-	-	-	-	-	35	35	30	30	25	25	25	-	-	-	-	-	

E-LINE



Type (IP20)																		
7651 ... CL-DAW ... L150																		
7651...HE CL-DAW... -8...	-	-	-	-	45	40	40	35	30	30	25	-	-	-	-	-		-
7651...HE CL-DAW... -9...	-	-	-	-	40	35	30	30	25	-	-	-	-	-	-	-		-
7651...HE CL-DAW... -9...	-	-	-	-	40	35	30	30	25	-	-	-	-	-	-	-	-	

Type (IP20)																					
7651 ... CL-DAW ... L225																					
7651...HE CL-DAW... -8...	-	-	-	-	-	-	-	-	40	40	35	35	35	30	30	25		25	-	-	-
7651...HE CL-DAW... -9...	-	-	-	-	-	-	-	-	35	35	30	30	25	25	25	-		-	-	-	-
7651...HE CL-DAW... -9...	-	-	-	-	-	-	-	-	35	35	30	30	25	25	25	-	-	-	-	-	

Type (IP20)																	
7651 ... CL-W19 ... L75																	
7651...HE CL-W19... -8...	50	45	40	40	35	-	-	-	-	-	-	-	-	-	-	-	
7651...HE CL-W19... -9...	50	45	35	35	35	-	-	-	-	-	-	-	-	-	-	-	
7651...HE CL-W19... -9...	50	45	35	35	35	-	-	-	-	-	-	-	-	-	-	-	

Type (IP20)																					
7651 ... CL-W19 ... L150	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500		10000	11000	12000	13000
7651...HE CL-W19... -8...	-	-	-	-	50	50	45	45	40	40	40	35	30	30	25	25		25	-	-	-
7651...HE CL-W19... -9...	-	-	-	-	50	50	40	40	40	35	30	25	25	25	25	25		-	-	-	-
																					

Type (IP20)																						
7651 ... CL-W19 ... L225																						
7651...HE CL-W19... -8...	-	-	-	-	-	-	-	-	50	50	50	45	45	45	45	40		40	35	35	30	
7651...HE CL-W19... -9...	-	-	-	-	-	-	-	-	45	45	45	45	40	40	35	35		35	30	30	30	

Type (IP20)																	
7651 ... CL-WW ... L150																	
7651...HE CL-WW... -8...	-	-	-	-	40	40	35	30	25	25	-	-	-	-	-	-	
7651...HE CL-WW... -9...	-	-	-	-	35	30	25	25	-	-	-	-	-	-	-	-	
7651...HE CL-WW... -9...	-	-	-	-	35	30	25	25	-	-	-	-	-	-	-	-	

Type (IP20)																					
7651 ... CL-WW ... L225	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500		10000	11000	12000	13000
7651...HE CL-WW... -8...	-	-	-	-	-	-	-	-	45	45	40	35	35	30	30	25		-	-	-	-
7651...HE CL-WW... -9...	-	-	-	-	-	-	-	-	40	35	35	30	25	25	-	-		-	-	-	-
7651...HE CL-WW... -9...	-	-	-	-	-	-	-	-	40	35	35	30	25	25	-	-	-	-	-	-	



E-LINE

Type (IP20/IP50)																		
7651 ... L ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	50	50	50	50	50	45	45	45	45	45	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	45	45	45	45	40	
Type (IP20/IP50)																		
7651 ... LEN/LVN ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	50	50	50	45	45	40	40	40	40	-	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	40	40	40	40	40	35	
Type (IP20/IP50)																		
7651 ... DSL/DL ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	35	35	35	35	35	35	35	35	-	-	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	35	35	35	35	35	35	35	35	35	
Type (IP20/IP50)																		
7651 ... P ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	50	50	50	50	50	45	45	40	-	-	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	45	45	45	45	45	45	40	40	40	
Type (IP20/IP50)																		
7651 ... PMW ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651 HE...L150...TW...	-	-	-	-	35	35	35	35	35	35	35	35	-	-	-	-	-	
7651 HE...L225...TW...	-	-	-	-	-	-	-	-	35	35	35	35	35	35	35	35	35	
Type (IP20)																		
7651 ... PWW ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651 HE...L150...TW...	-	-	-	-	50	50	50	50	50	50	50	50	45	45	-	-	-	
7651 HE...L225...TW...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Type (IP20)																		
7651 ... CL ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651 HE...L150...TW...	-	-	-	-	45	45	-	-	-	-	-	-	-	-	-	-	-	
7651 HE...L225...TW...	-	-	-	-	-	-	-	-	45	45	40	40	-	-	-	-	-	

E-LINE



Type (IP64)																		
7651 ... L ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	50	45	45	45	45	45	40	35	30	30	
7651...HE L... -9...	-	-	-	-	50	50	45	45	45	45	40	40	35	30	25	25	25	
7651...HE L... -9...	-	-	-	-	50	50	45	45	45	45	40	40	35	30	25	25	25	
Type (IP64)																		
7651 ... L ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	
7651...L...	35	35	35	30	30	30	25	25	25	25	25	25	25	25	25	25	25	
7651...HE L... -8...	50	50	50	50	40	40	40	35	30	30	25	25	25	25	25	25	25	
7651...HE L... -9...	50	50	45	45	40	35	30	30	25	25	25	25	25	25	25	25	25	
7651...HE+L... -8...	-	-	-	-	45	45	45	40	35	35	30	30	30	30	30	30	30	
7651...HE+L... -9...	-	-	-	-	45	40	35	35	30	30	30	25	25	25	25	25	25	
7651...HE+L... -9...	-	-	-	-	45	40	35	35	30	30	30	25	25	25	25	25	25	
Type (IP64)																		
7651 ... LN/LEN/LVN ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	25	25	
7651...HE L... -8...	-	-	-	-	50	50	50	45	40	40	40	40	40	35	30	25	25	
7651...HE L... -9...	-	-	-	-	50	50	45	40	40	40	35	35	30	25	25	25	25	
7651...HE L... -9...	-	-	-	-	50	50	45	40	40	40	35	35	30	25	25	25	25	
Type (IP64)																		
7651 ... LN/LEN/LVN ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	
7651...L...	35	35	35	30	30	30	25	25	25	25	25	25	25	25	25	25	25	
7651...HE L... -8...	50	50	50	45	35	35	35	30	25	25	25	25	25	25	25	25	25	
7651...HE L... -9...	50	45	40	40	35	30	25	25	25	25	25	25	25	25	25	25	25	
7651...HE+L... -8...	-	-	-	-	40	40	40	35	30	30	25	25	25	25	25	25	25	
7651...HE+L... -9...	-	-	-	-	40	35	30	30	25	25	25	25	25	25	25	25	25	
7651...HE+L... -9...	-	-	-	-	40	35	30	30	25	25	25	25	25	25	25	25	25	
Type (IP64)																		
7651 ... L ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	50	50	50	50	50	45	45	45	45	40	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	45	40	40	40	40	
Type (IP64)																		
7651 ... LEN/LVN ... TW		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	
7651...L150...TW...	-	-	-	-	50	50	50	45	45	40	40	40	40	35	-	-	-	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	40	35	35	35	35	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	40	35	35	35	35	
7651...L225...TW...	-	-	-	-	-	-	-	-	50	45	45	45	40	35	35	35	35	



E-LINE

Type (IP20/IP50)																			
7651 ... L ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
7651...L...	-	-	-	-	35	35	35	30	30	30	30	30	30	30	25	25	25	25	
7651...HE L... -8...	-	-	-	-	40	40	40	35	35	35	35	35	35	35	30	30	30	25	
7651...HE L... -9...	-	-	-	-	40	40	35	35	35	35	35	35	35	30	30	30	25	-	

Type (IP20/IP50)																			
7651 ... L ... EB ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...L...	35	35	35	35	35	35	25	25	25	25	25	25	25	25	25	25	-	-	
7651...HE L... -8...	40	40	40	40	40	40	30	30	30	30	25	25	25	25	25	25	-	-	
7651...HE L... -9...	40	40	40	40	40	35	30	30	25	25	25	25	25	25	25	-	-	-	
7651...HE+ L... -8...	-	-	-	-	40	40	35	35	35	35	30	30	30	25	25	25	-	-	
7651...HE+ L... -9...	-	-	-	-	40	35	35	35	30	30	30	25	25	25	25	-	-	-	

Type (IP20/IP50)																			
7651 ... DSL/DL...EB...L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
7651...D...	-	-	-	-	30	30	30	30	30	30	30	25	25	25	25	25	25	25	
7651...HE D... -8...	-	-	-	-	35	35	35	35	35	35	35	30	30	30	30	30	25	25	
7651...HE D... -9...	-	-	-	-	35	35	35	35	35	35	30	30	30	30	30	30	25	-	

Type (IP20/IP50)																			
7651 ... DSL/DL...EB...L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...D...	30	30	30	30	30	30	30	30	30	30	30	30	30	30	25	25	25	25	
7651...HE D... -8...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	
7651...HE D... -9...	35	35	35	35	35	35	35	35	35	35	35	35	35	35	25	25	25	-	
7651...HE+ D... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	25	
7651...HE+ D... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	30	30	25	-	

Type (IP20/IP50)																			
7651 ... P ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
7651...P...	-	-	-	-	35	35	35	35	35	35	30	30	25	25	25	25	25	25	
7651...HE P... -8...	-	-	-	-	40	40	40	40	40	35	35	30	30	30	30	30	25	25	
7651...HE P... -9...	-	-	-	-	40	40	40	40	35	30	30	30	30	30	30	25	25	-	

E-LINE



Type (IP20/IP50)																			
7651 ... P ... EB ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...P...	35	35	30	30	30	30	30	30	30	30	30	30	30	30	25	25	25	25	
7651...HE P... -8...	40	40	35	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	
7651...HE P... -9...	35	35	35	35	35	35	35	35	35	35	35	35	35	30	25	25	25	-	
7651...HE+ P... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	35	30	30	25	
7651...HE+ P... -9...	-	-	-	-	35	35	35	35	35	35	35	35	35	35	30	30	25	-	

Type (IP20/IP50)																			
7651 ... PMW ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
7651...PMW...	-	-	-	-	30	30	30	30	30	25	25	25	25	25	25	25	25	25	
7651...HE PMW... -8...	-	-	-	-	35	35	35	35	35	30	30	30	30	30	30	25	25	-	
7651...HE PMW... -9...	-	-	-	-	35	35	35	35	30	30	30	30	30	30	30	25	25	-	
7651...HE PMW... -9...	-	-	-	-	35	35	35	35	30	30	30	30	30	30	30	25	25	-	

Type (IP20/IP50)																			
7651 ... PMW ... EB ... L225		6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	
7651...PMW...	30	30	30	30	30	30	30	30	30	30	30	25	25	25	25	25	25	-	
7651...HE PMW... -8...	35	35	35	35	35	35	35	35	35	35	35	30	30	25	25	25	25	-	
7651...HE PMW... -9...	35	35	35	35	35	35	35	35	35	35	35	25	25	25	25	25	-	-	
7651...HE+ PMW... -8...	-	-	-	-	35	35	35	35	35	35	35	35	35	30	30	30	25	-	
7651...HE+ PMW... -9...	-	-	-	-	35	35	35	35	35	35	35	30	30	25	25	-	-	-	

Type (IP20)																			
7651 ... CL-W ... EB ... L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
76...HE CL-W... -8...	-	-	-	-	40	40	35	35	35	35	30	30	30	30	25	25	25	-	
76...HE CL-W... -9...	-	-	-	-	35	35	35	35	30	30	30	25	25	25	25	25	-	-	

Type (IP20)																			
7651 ... CL-WW ... EB ... L225		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
76...HE CL-WW... -8...	-	-	-	-	-	-	-	-	-	35	35	35	35	35	35	30	30	30	
76...HE CL-WW... -9...	-	-	-	-	-	-	-	-	-	35	35	35	35	30	30	30	25	-	

Type (IP20)																			
7651 ... CL-WW ...EB...L150		2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	
76...HE CL... -8...	-	-	-	-	30	30	30	25	25	25	-	-	-	-	-	-	-	-	
76...HE CL... -9...	-	-	-	-	30	25	25	25	-	-	-	-	-	-	-	-	-	-	



E-LINE

Type c	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ...CL-WW...EB...L225																					
76...HE CL-WW...-8...	-	-	-	-	-	-	-	-	35	35	35	30	30	25	25	25	-	-	-	-	
76...HE CL-WW...-9...	-	-	-	-	-	-	-	-	35	30	30	25	25	25	-	-	-	-	-	-	

Type (IP20)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ...CL-DAW...EB...L150																					
76...HE CL-DAW...-8...	-	-	-	-	35	35	35	30	25	25	25	-	-	-	-	-	-	-	-	-	
76...HE CL-DAW...-9...	-	-	-	-	35	30	25	25	25	-	-	-	-	-	-	-	-	-	-	-	


Type (IP20)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ...CL-DAW...EB...L225																					
76...HE CL-DAW...-8...	-	-	-	-	-	-	-	-	30	30	30	30	30	25	25	25	25	-	-	-	
76...HE CL-DAW...-9...	-	-	-	-	-	-	-	-	30	30	25	25	25	25	25	-	-	-	-	-	

Type (IP64)	2000	2500	3000	3500	4000	4500	5000	5500	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	
7651 ...L...EB...L150																					
7651...L...	-	-	-	-	30	30	30	30	30	25	25	25	25	25	25	25	25	-	-	-	
7651...HE L...-8...	-	-	-	-	35	35	35	35	35	30	30	30	30	30	30	25	25	25	-	-	
7651...HE L...-9...	-	-	-	-	35	35	35	30	30	30	30	30	30	25	25	25	25	-	-	-	

Type (IP64)	6000	6500	7000	7500	8000	8500	9000	9500	10000	11000	12000	13000	14000	15000	16000	17000	18000	19000	20000	-	
7651 ...L...EB...L225																					
7651...L...	30	30	30	30	25	25	25	25	25	25	25	25	25	25	25	25	-	-	-	-	
7651...HE L...-8...	35	35	35	35	30	30	30	30	25	25	25	25	25	25	25	25	-	-	-	-	
7651...HE L...-9...	35	35	35	35	30	30	30	25	25	25	25	25	25	25	25	-	-	-	-	-	
7651...HE+ L...-8...	-	-	-	-	35	35	35	35	30	30	30	30	30	25	25	25	-	-	-	-	
7651...HE+ L...-9...	-	-	-	-	35	35	35	30	30	30	30	25	25	25	25	-	-	-	-	-	

E-LINE





www.trilux.com/manuals

TRILUX GmbH & Co. KG

Heidestraße
D-59759 Arnsberg
+49 2932 301-0
info@trilux.com
www.trilux.com